X(3rd Sm.)-Chemistry-H/CC-6/CBCS

2022

CHEMISTRY — HONOURS

Paper : CC-6

(Inorganic Chemistry)

Full Marks : 50

The figures in the margin indicate full marks. Candidates are required to give their answers in their own words as far as practicable.

Question no. 1 is compulsory and answer any eight questions from the rest.

1. Answer any ten questions :

1×10

- (a) Which has the higher second ionisation energy : Cu or K?
- (b) Give an example of ambidentate ligand with proper complexes.
- (c) Give one use each of Xe and Ar.
- (d) Write the structure of bis(en)Co(III)-µ-imido-µ-hydroxido-bis(en) Co(III) ion.

[en = ethylenediamine]

- (e) Write the manganese species generated in the reaction when aq. solution of Mn(II) is boiled with potassium perdisulfate in presence of little AgNO₃. Mention the role of AgNO₃.
- (f) Predict the products of the following reaction :

 $CF_3I + OH^- \rightarrow A + B$

- (g) Mention an example each of an interstitial and covalent hydride.
- (h) Draw the structure of SO_3^{2-} ion. Mention its shape.
- (i) Write any one chemical property of Be and Al to show the diagonal relationship amongst them.
- (j) What are organo-silicon compounds called? Give one example.
- (k) What happens when S₂N₂ is kept of 0°C for long time?
- (l) Which effect is mainly responsible for very high electron affinity of Au?
- 2. (a) Catenation tendency among the following Gr-16 elements follow the trend : O < S > Se explain.
 - (b) Difference in IE₁ between C and Si is greater than that between Si and Ge. State reasons.

3+2

Please Turn Over

X(3rd Sm.)-Chemistry-H/CC-6/CBCS

3. (a) Draw the structures of the isomers of $[Co(en) (NH_3)_2 Cl_2]^+$ and indicate the types of isomerism.

(2)

- (b) Explain the following order of ionization energies (IE₁ in kJ/mole) : $_{29}$ Cu (745), $_{30}$ Zn (906), $_{31}$ Ga (579) 3+2
- 4. (a) Calculate the effective nuclear charge of 3d and 4s electrons of Co (Z = 27) using Slater's rule and identify which type of electron will be lost when Co forms a positive ion.
 - (b) Solubilities of alkali metal hydroxides in water follow the order :LiOH < NaOH < KOH < RbOH < CsOH Justify.</td>3+2
- 5. (a) Calculate the Allred-Rochow electronegativity of Zn having its covalent radius 125 pm.
 - (b) No simple salts of B^{3+} are known but those of Al^{3+} are numerous Justify. 3+2
- 6. (a) Give the examples of Fluoridating, Fluorinating and Oxidising properties of XeF_4 .
 - (b) Give the structure of basic beryllium nitrate.
- 7. (a) Show by chemical reactions the method for the synthesis of Borazines. What happens when borazine is subjected to prolonged heating at 380°C?
 - (b) Explain the enhanced stability of [Ni(en)₃]²⁺ over [Ni(NH₃)₆]²⁺ from thermodynamic point of 3+2 view.
- 8. (a) Compare and discuss the allotropic modifications of N and P.
 - (b) Lanthanides are placed in just one group in the Periodic Table but transition series elements are not – explain.
- 9. (a) Explain the bonding in XeF_2 through molecular orbital treatment.
 - (b) $H_2S_2O_7$ is stronger acid than H_2SO_4 Justify.
- 10. (a) Explain the observations with equations :
 - (i) When iodine-azide solution is mixed with little Na₂S, its brown colour fades away with evolution of bubbles.
 - (ii) Aqueous sodium thiosulfate gets turbid when allowed to stand for long time.
 - (b) NO₂ is readily dimerized whereas NO does not Explain.
- 11. (a) Complete the following reactions :
 - (i) $ClF + BF_3 \rightarrow$
 - (ii) $(NPCl_2)_3 + CH_3MgI \rightarrow$
 - (iii) $2XeO_2F_2 + SiO_2 \rightarrow$

(b) Place the following species in appropriate classes :

BrF5, CN-, I9-, Br3+.

3+2

3+2

3+2

3+2

X(3rd Sm.)-Chemistry-H/CC-6/CBCS

- 12. (a) Draw the actual structures of XeO_2F_2 and XeO_6^{4-} . Hence predict the actual shapes.
 - (b) Conductivity of BrF₃(l) increases on addition of KF Justify.
- (a) Draw the structures of P₄O₆ and P₄O₁₀. Compare P-O bond lengths in P-O-P bridges in these two compounds.
 - (b) Predict the feasibility of the following reactions :
 - (i) SnCl₄ $\xrightarrow{\Delta}$
 - (ii) $PbCl_4 \xrightarrow{\Delta}$.

3+2

3+2

(3)